DATASHEET **ICAN 9210**



PROTECTING AGAINST:

- Less harmful dust and other particles - The maximum level of use is 4 x LV for the particles concerned

FILTERING FACE MASK - FLAT FOLDED:

Safety mask 9210 is a filtering halfmask for protection against solid- and liquid particles, which meets the demands in the European Standard EN 149:2001+A1:2009, class FFP1 NR.

TECHNICAL DESCRIPTION:

★ The mask is supplied foldedand contained in a sealed pouch.	It will be found comfortable and convenient to keep spare masks to hand
★ The mask is made from several layers of filtering material	High filtering efficiency, soft and comfortable Self-extinguishing
★ The mask is fitted with an adjustable aluminium noseclip with foam at the base of the nose.	Ensures a comfortable, perfect fit.
★ Adjustable cotton head harness	Easy fitting to shape of the face. Elastic that is strong and kind to the skin.
★ Weight below 11 grams Does not restrict speech or vision.	No inconvenience in use – possible to communicate without removal of mask.
★ Free of maintenance	Hygienic, no cleaning costs.

EXAMPLES OF USE:

- ★★ Building
- ★★ Pottery
- ★★ Farming
- ★★ Foundries ★★ Foodstuff industry
- ★★ Quarrying

- ★ Potassium carbonate
- ★ Corn dust

★ Granite

- ★ Soapstone ★ Cryolite ★ Clay
- ★ Feather ★ Fish Flour

★ Graphite

★ Aluminium

★ Fire clay

★ Animal hair

- ★ Flour
 - ★ Flour dust
- ★ Milk powder
- ★ Mortar
- ★ Sodium nitrate
- ★ Ochre
- ★ Porcelain
- ★ Sandstone
- ★ Scouring powder
- * Soda
- * Stamping mass
- ★ Stoneware
- ★ Sugar
- ★ Talcum powder
 - * Titanium dioxide

WARNING!

The mask does not protect against:

Oxygen deficiency (The content of oxygen in the air must not fall below 19%). Gases and dangerous vapours, radioactive dust, bacteria, virus and some carcinogenic substances. Persons with a beard or facial hair intervening between the face and the mask cannot expect to receive effective protection and instead should consider using ICAN TURBO UNIT.

ICAN 9210 is a safety mask which is widely used from our range.

ICAN 9210 is approved in accordance with the European Standard EN 149:2001+A1:2009, and is marked with CE. ICAN 9210 has been thoroughly tested by a number of users in different working situations, where safety masks are obligatory or improves the environment, and the safety of the user. If the work is physically demanding, and / or hot, a mask with exhalation valve, for example ICAN 9215, should be used.



