

ICAN 9415 DATASHEET



PROTECTING AGAINST:

- Less harmful dust and other particles
- The maximum level of use is 4 x LV for the particles concerned

FILTERING FACE MASK – MOULDED:

Safety mask 9415 is a filtering halfmask for protection against solid- and liquid particles, which meets the demands in the European Standard EN 149:2001+A1:2009, class FFP1 NR D.

TECHNICAL DESCRIPTION:

- ★ The mask is made from several layers of filtering material.....High filtering efficiency, soft and comfortable
Self-extinguishing
- ★ Exhalation valve,.....Assists comfort during hard physical work.
with exceptionally flexible natural rubber membrane. Lowers the humidity and the temperature within the mask, considerably.
- ★ The mask is fitted with an adjustable aluminium noseclip.....Ensures a comfortable, perfect fit.
with foam at the base of the nose.
- ★ Adjustable cotton head harness.....Easy fitting to shape of the face.
Elastic that is strong and kind to the skin.
- ★ Weight below 16 grams.....No inconvenience in use – possible to
Does not restrict speech or vision. communicate without removal of mask.
- ★ Free of maintenance.....Hygienic, no cleaning costs.

EXAMPLES OF USE:

- | | | | | |
|------------------------|---------------|-----------------------|-------------------|--------------------|
| ★ ★ Building | ★ Aluminium | ★ Granite | ★ Milk powder | ★ Soda |
| ★ ★ Pottery | ★ Fire clay | ★ Potassium carbonate | ★ Mortar | ★ Stamping mass |
| ★ ★ Farming | ★ Animal hair | ★ Corn dust | ★ Sodium nitrate | ★ Stoneware |
| ★ ★ Foundries | ★ Soapstone | ★ Cryolite | ★ Ochre | ★ Sugar |
| ★ ★ Foodstuff industry | ★ Feather | ★ Clay | ★ Porcelain | ★ Talcum powder |
| ★ ★ Quarrying | ★ Fish Flour | ★ Flour | ★ Sandstone | ★ Titanium dioxide |
| | ★ Graphite | ★ Flour dust | ★ Scouring powder | |

WARNING!

The mask does not protect against:

Oxygen deficiency (The content of oxygen in the air must not fall below 19%). Gases and dangerous vapours, radioactive dust, bacteria, virus and some carcinogenic substances. Persons with a beard or facial hair intervening between the face and the mask cannot expect to receive effective protection and instead should consider using ICAN TURBO UNIT.

ICAN 9415 is a safety mask which is widely used from our range.

ICAN 9415 is approved in accordance with the European Standard EN 149:2001+A1:2009, and is marked with CE.

ICAN 9415 has been thoroughly tested by a number of users in different working situations, where safety masks are obligatory or improves the environment, and the safety of the user.

If the mask is marked D, it is particularly well suited for use in areas with significant dust content.